

A Great Value for One of the Most Durable Covers Available

Innoplast BollardGard bollard covers are a quick way to improve your facility, while reducing maintenance costs. They are a great alternative to painting steel bollards while saving you time, expense and labor. The bollard covers easily slide over the top of your current post and are secured in place with our patented GripperTabs™.

Order Online at INNOPLAST.com or Call 800-516-9287




Available in a variety of stock colors, diameters and lengths that ship out in 1-3 business days. We also have the ability to color match with a minimum order.



Elegant granite-like finishes are a must have alternative to real stone. concrete or granite bollards without the expense. Plus, no large equipment is required for installation.











Model #	Description	Dimensions	Weight	Available Colors of Each Style
BollardGard	Bollard Covers			
BC452	4" x 52", 64" or 72" HDPE Bollard Cover	4.7" ID x 52", 64", or 72" H x 125" wall	3.5lbs, 5lbs, 5.5lbs	Black, Blue, Brown,
BC752	7" x 52", 60" or 72" HDPE Bollard Cover	71" ID x 52", 60", or 72" H x 125" wall	5lbs, 6lbs, 7lbs	Gray, Green, Light Gray, Orange, Red
BC872	8" x 72" HDPE Bollard Cover	8.875" ID x 72" H x 125" wall	10lbs	White, Yellow
BC1160	11" x 60" LDPE Bollard Cover	11.125" ID x 60" H x .187" wall	11lbs	
BC1360	13" x 60" LDPE Bollard Cover	13167" ID x 60" H x .200 wall	14lbs	Yellow Only
All covers can	be cut to length at no additional charge. 3M #5100 Scotch	lite Film – Available in Black, Blue, Green, Orange, Red, V	Vhite and Yellow	
Decorative S	lant Top Bollard Covers			
DBC765	7" x 65" LDPE Decorative Slant Top Bollard Cover	71" ID x 65" (max pipe height-60") x 188" wall	10lbs	Black, Brown Granite,
DBC865	8" x 65" LDPE Decorative Slant Top Bollard Cover	9125" ID x 65" (max pipe height-60") x 188" wall	12lbs	Charcoal Gray Granite, Tan Granite
DBC1139	11" x 39" LDPE Decorative Slant Top Bollard Cover	11.15" ID x 39" (max pipe height-27") x 187" wall	10lbs	
Square Bollo	ird Covers			Black, Blue, Gray, Red, Tan, White, Yellow, Brown
SBC6560	6.5" x 60" LDPE Square Bollard Cover	6.5" x 6.5" ID x 60" x 188" wall	10lbs	Granite, Charcoal Gray Granite, Tan Granite
Round Top B	Bollard Covers			arame, enarcoar aray arame, ran arame
BCRT452	4" x 52", 64" or 72" HDPE Bollard Cover	4.7" ID x 52", 64", or 72" H x 125" wall	3.5lbs, 5lbs, 5.5lbs	Black, Blue, Red, Yellow
BCRT752	7" x 52", 60" or 72" HDPE Bollard Cover	71" ID x 52", 60", or 72" H x .125" wall	5lbs, 6lbs, 7lbs	
BCRT872	8" x 72" HDPE Bollard Cover	8.875" ID x 72" H x 125" wall	10lbs	000 510

Lower Parking Lot Maintenance Costs with Innoplast Parking Blocks

Parking blocks are used to let drivers know they cannot pull any further into a parking space.

This helps reduce damage to curbs and other vehicles in the parking lot. Our parking blocks are available in plastic or rubber in a variety of colors and lengths.





Rubber Parking Blocks

- · Recycled rubber
- Conforms to concrete or asphalt
- Molded reflective yellow stripe for increased visibility
- Hardware sold separately

Plastic Parking Blocks

- Chemical and weather resistant
- 100% recycled content
- Available with or without channels
- Hardware included

Ultra Parking Blocks

- · Chemical and weather resistant
- 100% recycled content
- · Light weight, yet stable
- Hardware included

Model #	Description	Dimensions	Weight	Available Colors
Plastic Parking	Blocks			
PBS4	4' Standard Plastic Parking Block; includes spikes or lag bolts	48" L x 6" W x 4" H	20lbs	Blue, Gray, Yellow, White
PBS6	6' Standard Plastic Parking Block; includes spikes or lag bolts	72" L x 6" W x 4" H	24lbs	Blue, Gray, Yellow, White
PBD4	4' Deluxe Plastic Parking Block; includes spikes or lag bolts	48" L x 7" W x 4.5" H	30lbs	Blue, Gray, Yellow, White
PBD6	6' Deluxe Plastic Parking Block; includes spikes or lag bolts	72" L x 7" W x 4.5" H	361bs	Blue, Gray, Yellow, White
Truck Block				
TBD8C	8' Deluxe Plastic Parking Block w/channels; includes spikes or lag bolts	96" L x 10" W x 7" H	89lbs	Yellow
Rubber Parking	g Blocks			
PBR6	6' Rubber Parking Block; 4 holes per block; hardware sold separately	48" L x 6" W x 4.5" H	20lbs	Black w/ Yellow Stripes
Spikes	Spikes	1/2" x 12" x 1-1/8" Head	1lb	n/a
Lag Bolts	Lag Hardware Set: Includes (1) lag screw, (1) shield and (2) washers	1/2" x 8"	1lb	n/a
Ultra Parking B	Blocks			
ULTRA3648PB	4' Ultra Plastic Parking Block; includes spikes or lag bolts	48" L x 6" W x 3-1/4" H	10lbs	Blue, Gray, Yellow, White
ULTRA3672PB	6' Ultra Plastic Parking Block; includes spikes or lag bolts	72" L x 6" W x 3-1/4" H	15lbs	Blue, Gray, Yellow, White
ULTRA4648PB	4' Ultra Plastic Parking Block; includes spikes or lag bolts	48" L x 6" W x 4" H	14lbs	Blue, Gray, Yellow, White
ULTRA4672PB	6' Ultra Plastic Parking Block; includes spikes or lag bolts	72" L x 6" W x 4" H	21lbs	Blue, Gray, Yellow, White

Easy to Install Speed Bumps and Humps Help Control Motorists

Improve safety by using traffic calming speed bumps and humps designed to help reduce the speed of vehicles on your property while improving the safety for pedestrians and other motorists. A well placed speed bump should serve as a reminder to motorists to reduce speeds to 2-5 MPH when crossing over.





Model# **Available Colors** Description Dimensions Weiaht Standard Plastic Speed Bumps SBC4 4' Standard Plastic Speed Bump w/channels; includes spikes or lag bolts 48" L x 10" W x 2" H 14lbs Yellow SBC6 6' Standard Plastic Speed Bump w/channels; includes spikes or lag bolts 72" L x 10" W x 2" H 23lbs Yellow 8' Standard Plastic Speed Bump w/channels; includes spikes or lag bolts SBC8 96" L x 10" W x 2" H 31lbs Yellow SBC9 9' Standard Plastic Speed Bump w/channels; includes spikes or lag bolts 108" L x 10" W x 2" H 36lbs Yellow BC10 10' Standard Plastic Speed Bump w/channels; includes spikes or lag bolts 120" L x 10" W x 2" H 43lbs Yellow SBC12 12' Standard Plastic Speed Bump w/channels; includes spikes or lag bolts 144" L x 10" W x 2" H 52lbs Yellow SBCD4 4' Deluxe Plastic Speed Bump w/channels; includes spikes or lag bolts 48" L x 12" W x 2.25" H 17lbs Yellow SBCD6 72" L x 12" W x 2.25" H 6' Deluxe Plastic Speed Bump w/channels; includes spikes or lag bolts 36lbs Yellow Rubber Speed Humps RSH65 78" L x 35.25" W x 2"H 141lbs Black w/ Yellow Stripes 6.5' Rubber Speed Hump; 24 holes per 6.5' kit; hardware sold separately RSH95 9.5' Rubber Speed Hump; 36 holes per 9.5' kit; hardware sold separately 117" L x 35.25" W x 2"H 215lbs Black w/ Yellow Stripes Black w/ Yellow Stripes RSH145 14.5' Rubber Speed Hump; 54 holes per 14.5' kit; hardware sold separately 175" L x 35.25" W x 2"H 326lbs RSH195 19.5' Rubber Speed Hump; 72 holes per 19.5' kit; hardware sold separately 234" L x 35.25" W x 2"H 511lbs Black w/ Yellow Stripes Black Rubber Speed Bumps RSB6 6' Rubber Speed Bump; 4 holes per speed bump; hardware sold separately 72" L x 10" W x 2"H 30lbs Black w/ Yellow Stripes Spikes 1/2" x 12" x 1-1/8" Head 1lb n/a Lag Bolts Lag Hardware Set: Includes (1) lag screw, (1) shield and (2) washers 1/2" x 8" 1lb n/a REC Black rubber end cap for 6' rubber speed bump 6" L x 12" W x 2" H (1 Hole) Black







BollardFlex™

BollardFlex is impact resistant with 360 degrees of flexibility. The 1-5/8" steel pipe is covered with a 7" bollard cover for increased visibility. The rigid appearance deters vehicular contact in parking lot areas.

BollardFlex™ & Gorilla Post™

- · Eliminates replacement costs and damage to parking lot surfaces
- · Withstands high winds
- · Delineates when hit
- · Handles steel regulatory signs
- Installs in minutes

*GPMAGPOST48 — Only Available in Black, Grey, Orange, Red, White and Yellow

GorillaPost™

Perfect for installation where pedestrian walkways intersect vehicular roadways or emergency access points.

- · Temporarily folds on impact
- · Safe for post-tensioned concrete floors
- · Magnetic post can be temporarily removed from the ADA-compliant base

· Permanent installation also available

Model #	Description	Dimensions	Weights	Available Colors
BollardFlex Bollard Covers				2000
BF-52	52" BollardFlex with 1-5/8" OD internal post *	7.35" OD x 52" H x 9.5" square steel base	25lbs	Black, Blue, Brown, Gray,
BF-72	72" BollardFlex with 1-5/8" OD internal post*	7.35" OD x 72" H x 9.5" square steel base	27lbs	Green, Light Gray,
BF-52-SP	BollardFlex with 8' signpost and 52" Bollard cover*	7.35" OD x 102" H x 9.5" square steel base	31lbs	Red, White, Yellow
SSP-6	6' Standard Sign Post (no bollard cover)	1-5/8" OD x 72" x 9.5" square steel base	20lbs	Galvanized Steel Post- Silver
*Asphalt, Concrete or Natural	Ground Installation			
Gorilla Post				
GPMAGBOLLARDKIT	48" Magnetic Gorilla Post with 7" Bollard Cover	7.35" OD x 48" H – Magnetic Base	9lbs	Black, Blue, Brown, Gray,
GPKONGBOLLARDQR48KIT	48" Non-Magnetic Quick Release Base with 7" Bollard Cover	7.35" OD x 48" H with an 8" x 8" Base	5lbs	Green, Light Gray,
GPMAGPOST48	48" Magnetic Gorilla Post with 2-1/3" Diameter*	2-1/3" OD x 48" H – Magnetic Base	7lbs	Red, White, Yellow
GPPLATE	Gorilla Post Plate – Asphalt or Concrete Models		1lb	
GPEPOXY	Gorilla Post Plate Epoxy – Single Use		1lb	
IRBOLTKIT	4 Lag Screws to Secure one Quick Release or Fixed Base			









Locking Deter -A-Post & Helix Locking Post

HDPE removable bollards are a light-duty vehicle deterrent built to enforce traffic control. These plastic removable bollards are designed to withstand vehicle impact as well as to minimize the vehicle's damage.

Two-Way Bollards (Folding Bollards)

Control vehicle access with folding security bollards. Easily collapses in two directions, leaving a low clearance that is ideal for emergency vehicle access.

Horseshoe Bollards

Flexible polycarbonate guardrails attach to SlowStop Bollards to create virtually unbreakable barriers. Twice the stopping power of our single rebounding bollards. Two single rebounding bollard bases with steel pipe and connectors create a horseshoe bollard.

SlowStop Bollards

A rebounding steel bollard system that absorbs energy from the impact, reducing damage to vehicles, assets, and personnel involved in the collision. A flexible polycarbonate guardrail to the SlowStop Bollard to create a virtually unbreakable barrier.

Model #	Description	Dimensions	Weight	Available Colors
Locking Deter-a-p	oost & Helix Locking Post			
LDAP-4536PL	Locking Deter-a-Post HDPE	4.5" OD x 36" H above ground	30lbs	Yellow Post w/Galvanized Ground Sleeve
HL-4536	Helix Lock HDPE Post Locking Deter-a-Post	4.5" OD x 36" H above ground	30lbs	HDPE Yellow Post w/Galvanized Ground Sleeve
Two-Way Bollards	S			
TWCB-2436	Two-Way Collapsible Bollard	2" L x 4" W x 36" H	40lbs	Yellow
TWCB-2636	Two-Way Collapsible Bollard	2" L x 6" W x 36" H	58lbs	Yellow
Horseshoe Bollard	d			
SS3Y-36-HS-36	3" Rebounding Horseshoe Bollard Kit	3" OD x 36" W x 36" H	97lbs	Yellow Bollard on Black Base
SS4Y-42-HS-36	4" Rebounding Horseshoe Bollard Kit	4" OD x 36" W x 42" H	165lbs	Yellow Bollard on Black Base
SS4Y-42-HS-48	4" Rebounding Horseshoe Bollard Kit	4" OD x 48" W x 42" H	180lbs	Yellow Bollard on Black Base
Slow Stop Bollard	I			
SS4Y-42	4" Rebounding Steel Bollard Kit	4" OD x 42" H	62lbs	Yellow Bollard on Black Base
SS6Y-42	6" Rebounding Steel Bollard Kit	6" OD x 42" H	161lbs	Yellow Bollard on Black Base
SS4Y-42-HC	4" Handicap Parking Bollard Kit	4" OD x 78" H overall	68lbs	Yellow Bollard on Black Base
Guardrail*				
SSRY-4	Slow Stop Polycarbonate Guardrail	157.5" L × 14" H	40lbs	Yellow
SSEY	Slow Stop Polycarbonate Guardrail End Cap 2	4" L x 14" H	6.5lbs	Yellow
*Bollards & Guardr	rail Sold Separately.			







Add a clean, contemporary touch with virtually no maintenance to any location. The fixed bollard can be embedded in concrete creating a permanent, attractive, finished product.



Surface Mount Steel Bollards

Protect store fronts, gas pumps, parking areas or machinery with our bolt down bollards. Laser cut holes allow for easy installation.



U-shaped Bollards

Primed and stainless steel U-shaped pipe guards, also known as horseshoe bollards, are used to protect property and expensive dispensers from traffic collisions.

Model #	Description	Dimensions	Weight	Color/Finish	Model #	Description	Dimensions	Weigh	t Color/Finish
Surface Mour	nt Steel Bollard		50lbs	Primed	Stainless U-Shaped	Bollards			
PIPE448SMB	4.5" x 48" bolt down steel bollard	4.5" OD x 48"H w/8" x 8" base plt;			US1983-353656-SS	SS U-bollard-3.5"x36"x56"	3.5"x36"x56" sched 40 pipe	70lbs	304 SS/#4
		schedule 40 pipe			US1983-354153-SS	SS U-bollard-3.5"x41"x53"	3.5"x 41"x53" sched 40 pipe	70lbs	304 SS/#4
Stainless Boll	ards				US1983-354850-SS	SS U-bollard-3.5"x48"x50"	3.5"x 48"x50" sched 40 pipe	70lbs	304 SS/#4
SSFB4	4.5" OD Fixed Stainless Bollard	4.5" OD x 35.4" H abv ground	34lbs	304 SS/Satin	Primed U-Shaped B	ollards			
SSFB6	6.625" Fixed Stainless Bollard	6.625" OD x 35.4" H abv ground	65lbs	304 SS/Satin	US1983-353656	U-bollard-3.5"x36"x56"	3.5"x36"x56" sched 40 pipe	70lbs	Primed Blk
		g			US1983-354153	U-bollard-3.5"x 41"x53"	3.5"x41"x53" sched 40 pipe	70lbs	Primed Blk
Stainless Boll	ard Covers				US1983-354850	U-bollard-3.5"x 48"x50"	3.5"x48"x50" sched 40 pipe	70lbs	Primed Blk
SSBC-4540	4.5" OD Stainless Bollard Cover	4.5" OD x 42" H; 40" max post	25lbs	316 SS/Polished	US1983-403656	U-bollard-4"x 36"x56"	4"x36"x56" sched 40 pipe	86lbs	Primed Blk
SSBC-6540	6.625"OD Stainless Bollard Cover	6.625" OD x 42" H; 40" max post	48lbs	316 SS/Polished	US1983-404153	U-bollard-4"x41"x53"	4"x41"x53" sched 40 pipe	86lbs	Primed Blk
					US1983-404354	U-bollard -4"x43"x54"	4"x43"x54" sched 40 pipe	86lbs	Primed Blk
					US1983-404851	U-bollard-4"x48"x51"	4"x48"x51" sched 40 pipe	86lbs	Primed Blk
					US1983-404951	U-bollard-4"x49"x51"	4"x49"x51" sched 40 pipe	86lbs	Primed Blk

Guide and Direct Traffic

Help keep things organized and moving smoothly in your parking lot. From pedestrian signs to stop signs, to sign posts to delineators, our variety of options will help guide traffic and pedestrians in a safe and efficient manner.









Multipurpose Post & Tuff Post

- Reactive spring assembly that rebounds to upright when struck
- Post is used to simulate bollards while still allowing emergency vehicle access
- Constructed of flexible plastic that is resistant to: ultraviolet light, ozone, and hydrocarbons

Pedestrian Signs

- Anti-twist reactive spring assembly that rebounds to upright when struck
- Double sided
- Plastic fixed base or rubber portable base available

Stop Sign

- Anti-twist reactive spring assembly that rebounds to upright when struck
- Post and panel is constructed of flexible polyethylene plastic
- For permanent use within parking lots and parking garages

Model #	Description	Dimensions	Weight	Available Colors
Multipurpos	e Posts & Tuff Posts			
MP2	2.375" Multipurpose Post; base sold separately	2.375" OD x 36", 42", or 48" H	8lbs	Orange or Yellow
TP3	3" Tuff Post; base sold separately	3" OD x 36" or 42" H	9lbs	Orange or Yellow
BS-SMFB	Surface Mount base, Fixed Style	8" L x 8" W x 1" Thick	5lbs	Black
BS-SMQB	Surface Mount Base, Quick Release	8" L x 8" W x 1" Thick	5lbs	Black
Pedestrian S	ign			
PED2-OSFQ	Pedestrian Sign, 2-Sided, Stop, FYG; base sold separately	12" W x 47" H	10lbs	Florescent Yellow Green Reflective
PED2-OYFQ	Pedestrian Sign, 2-Sided, Yield, FYG; base sold separately	12" W x 47" H	10lbs	Florescent Yellow Green Reflective
BS-SMQB	Surface Mount Base, Quick Release	8" L x 8" W x 1" Thick	5lbs	Black
BS-P1Q	Rubber Portable Base, Quick Release	34" L x 14" W	30lbs	Black
Stop Sign &	Handicap Posts			
STOP-F	Stop Sign & Post; base sold separately	2" OD post x 60" H, 24" x 24" Sign	10lbs	White Post with Red & White Sign
SP-66WH-F	Sign Post, 66" R7-8 Handicap Parking; base sold separately	2" OD post x 66" H, 12" x 18" Sign	10lbs	White Post with Blue & White Sign
SP-66WV-F	Sign Post, 66" R7-8A Van Accessible; base sold separately	2" OD post x 66" H, 12" x 18" Sign	10lbs	White Post with Blue & White Sign
BS-SMFB	Surface Mount base, Fixed Style	8" L x 8" W x 1" Thick	5lbs	Black





STA-Rite Aluminum Sign Post

- White powder coated aluminum post, with or without outer yellow plastic bollard
- · Light weight, yet durable
- Anti-twist reactive spring assembly that rebounds to upright when struck



Boomerang Post

- Meets all state specifications for two-way, two-lane delineators
- Stress from impact transfers to the base, giving longer service life to the HDPE tube
- Perfect for parking lots, islands, work zones, concrete barriers, and bridges



- Surface mount for temporary or permanent installations
- ABS base made from 100% recycled material
- Ideal for work zones, parking lots and islands for traffic delineation

Model #	Description	Dimensions	Weight	Available Colors
Repo Post	Repo Post with Repo Base	3" OD x 42" H	8lbs	Orange or White Post; White Hi-Intensity Reflective
RP342				
STA-Rite Alu	minum Sign Posts*			
STRB-78HF	STA-RITE Aluminum Sign Post, with Yellow Bollard,	2" OD post x 4" OD Bollard x 78" H, 12" x 18" Sign	10lbs	White Post, Yellow Bollard with Blue & White Sign
STR0-78HF	STA-RITE Aluminum Sign Post, No Bollard,	2" OD post x 78" H, 12" x 18" Sign	10lbs	White Post with Blue & White Sign
BS-SMFB	Surface Mount base, Fixed Style	8" L x 8" W x 1" Thick	5lbs	Black
*78" Handica	p Parking; base sold separately			
Boomerang F	Posts			
521039	Boomerang Delineator Post with Base	2.25" OD x 36", 42", or 48" H	8lbs	Orange & White Post; White HI Bands
522209	Flat Boomerang Delineator Post with Base;	3" Flat OD x 48" H	8lbs	White Post, Black Base
	No Reflective			
	(Fixed square base is available.)			







Protect your rack uprights from collisions with forklifts. This highly visible layer of protection is easily installed without tools and is designed to absorb impact by flexing.

Corner Sentry

Industrial corner protectors absorb the impact, reducing or eliminating damage to both the comer and to the vehicle. Tapered to provide protection to the corner while keeping a low profile.

Column Sentry

Column protectors save interior building columns by surrounding them with a cushion of air. Easy to install without using any tools and is extremely effective at column damage prevention.





Park Sentry

Add a layer of effective protection around parking structure columns and interior building columns, protecting both the column and vehicle from collision damage.

Model #	Description	Dimensions	Weight	Available Colors
Rack Sentry				
RS75	3" Rack Sentry	18" tall x 3" deep with an overall width of 5.25"	4lbs	Federal Yellow
RS75CO	3" Rack Sentry w/cutout	18" tall x 3" deep with an overall width of 5.25"	4lbs	Federal Yellow
RS75END	3" Rack Sentry for End of Rack	18" tall x 3" deep with an overall width of 5.25"	4lbs	Federal Yellow
RS80	3.25" Rack Sentry	18" tall x 3.25" W x 3" deep with an overall width of 5.25"	4lbs	Federal Yellow
RS90	3.5" Rack Sentry	18" tall x 3.5" W x 3" deep with an overall width of 6.25"	4lbs	Federal Yellow
RS100	4" Rack Sentry	18" tall x 4" W x 3" deep with an overall width of 6.25"	4lbs	Federal Yellow
RS100CO	4" Rack Sentry w/cutout	18" tall x 4" W x 3" deep with an overall width of 6.25"	4lbs	Federal Yellow
RS120	4.75" Rack Sentry	18" tall x 4.75" W x 3" deep with an overall width of 7.25"	4lbs	Federal Yellow
Corner Sentry				
CG42FN	Corner Sentry	4" x 4" corner x 2" thick at corner x 1" thick at edge x 42" tall	6lbs	Federal Yellow
Column Sentry				
CS2442-8S	Column Sentry 8 x 8 Square	24" OD x 8" x 8" ID x 42" tall 56lbs Federal Yellow		
CS2442-10S	Column Sentry 10 x 10 Square	24" OD x 10" x 10" ID x 42" tall Square 56lbs Federal Yellow		
Park Sentry				
PS-Y-KIT	Park Sentry Yellow Square Kit Plank:	1.6" thick x 17.25" wide x 39.3" tall;	20lbs	Yellow
	Corner:	39.3" tall x 2.15" thick and extend 3.35" from the corner		
PS-B-KIT	Park Sentry Black Square Kit Plank:	1.6" thick x 17.25" wide x 39.3" tall;		
	Corner:	39.3" tall x 215" thick and extend 3.35" from the corner	20lbs	Black
PSR-045-Y-CTN	Park Sentry Round Plank Yellow (3) each	1" thick x 27.6" w x 39.3" tall	12bs	Yellow
PSR-045-B-CTN	Park Sentry Round Plank Black (3) each	1" thick x 27.6" w x 39.3" tall	12bs	Black



PoleTector™ 360

Make old lots look new and new lots look complete! PoleTector is a protective light pole base cover that enhances the appearance of your parking lot, creating a better visual appearance, while also lowering long term maintenance costs.

BumperWrap™

Conform to almost any shape with this vinyl extrusion wrap. Great for custom applications that have odd sizes or shapes. Car dealers, car washes and retail shopping centers find it ideal for use on light pole bases.

ClearanceGard™

Overhead clearance bars, available in standard or economy, effectively warn drivers against accidental collisions in warehouses, parking garages, car washes, drive thru locations and other low clearance applications.

Model #	Description	Dimensions	Weight	Available Colors
	·	Differsions	Weight	Ayullubic Colors
PoleTector	r 360			
PTR	PoleTector 360 (fits up to 24" round or 18" square);	26" W x 41.27" H x 1/4" Thick	25lbs	Architectural Brown & Gray, Black, Imperial Blue, Safety Blue, Red, Yellow
	Includes 4 rings, top and clips			
BumperW	rap (rap			
ROLL	BumperWrap Roll - Black with Yellow Stripes	40' Roll x 12" W x 1/2" Thick	60lbs	Black with Yellow Stripes
SK	Black Polypropylene Strapping Kit	1500' L x 1/2" W; 100 buckles and 1 hand tensioner	12lbs	Black Strapping with Natural Buckles
CT	Heavy Duty Cable Ties	.35" Wx 24", 36", 48", 60" L		
Clearance	Bars			
CB-104	4.95" OD x 104" HDPE Clearance Bar	4.95" OD x 104" L	15lbs	Black, Blue, Brown, Gray, Green, Light Gray, Red, White, Yellow
CB-120	4.95" OD x 120" HDPE Clearance Bar	4.95" OD x 120" L	18lbs	Black, Blue, Brown, Gray, Green, Light Gray, Red, White, Yellow
CB-LOGO	3" Letters – "CLEARANCE X' - XX"	3" tall letters		Red reflective, White reflective, or Black non-reflective
HWK	Hardware kit – includes (2) 3' chain sections (2) S-hoo	oks, (2) toggle wings with eye bolts	2lbs	
		ma, (2) taggie minga manaya sata	2	

Increase Visibility and Add Protection with Padded Covers These

cushioned products add just the right amount of padding to help reduce damages. Available in a variety of sizes and colors to fit most standard applications or can be custom made to fit your individual needs.

- 1/2" polyethylene foam core
- 10 oz reinforced rip-stop nylon cover
- 2" sewn bands of Retro-Reflective material



Gate Arm Covers

Add visibility and protection for your incoming and outgoing traffic. Fits standard moving gate arms that are made from plastic, wood or metal 1" W x 4" H.

Padded Column Wrap


Help protect your columns or beams from damage and continuous maintenance. Dense foam center for added protection and secures in place with a Velcro attachment.



Bollard Post Soft Padded Covers

Take the softer approach with our padded bollard covers. The foam center helps cushion the impact of unexpected contact while the retro-reflective bands increase nighttime visibility.

Model #	Description	Dimensions	Weight	Available Colors
Gate Arm Cover	s			
GG-50	50" W Padded Gate Arm Cover	50" L x 1" W x 4" H x 1/2" thick	1lb	Yellow or Black with Red or White Reflective Stripes
GG-72	72" W Padded Gate Arm Cover	72" L x 1" W x 4" H x 1/2" thick	2lbs	Yellow or Black with Red or White Reflective Stripes
GG-108	108" W Padded Gate Arm Cover	108" L x 1" W x 4" H x 1/2" thick	3lbs	Yellow or Black with Red or White Reflective Stripes
Padded Column	Wrap			
CW-36	36'' W Padded Column Wrap	36" W x 44" H x 1/2" thick	3lbs	Yellow or Black with Red or White Reflective Stripes
CW-48	48'' W Padded Column Wrap	48" W x 44" H x 1/2" thick	4lbs	Yellow or Black with Red or White Reflective Stripes
CW-60	60'' W Padded Column Wrap	60" W x 44" H x 1/2" thick	5lbs	Yellow or Black with Red or White Reflective Stripes
CW-72	72'' W Padded Column Wrap	72" W x 44" H x 1/2" thick	6lbs	Yellow or Black with Red or White Reflective Stripes
Bollard Post Sof	t Padded Covers			
BP-40	7" x 40" Soft Padded Bollard Cover	7.3" ID x 40" H x 1/2" thick	4lbs	Yellow or Black with Red or White Reflective Stripes
BP-50	7" x 50" Soft Padded Bollard Cover	7.3" ID x 50" H x 1/2" thick	5lbs	Yellow or Black with Red or White Reflective Stripes



Logos & Custom GraphicsCall Us Today: 800-516-9287


O

P

Knuffi Products

Warning and protective bumper guards act as a buffer zone for people, machines and objects. The black and yellow warning markings help to reduce accidents and highlight danger at edges, gaps and obstacles.

- Two and three dimensional protective corners
- Corner Guard
- · Surface Guard
- Edge Guard




Innoplast, Inc. 5718 Transportation Blvd Garfield Heights, OH 44125 USA phone 440-543-8660 fax 440-543-8661

800-516-9287 | INNOPLAST.com

Our vision at INNOPLAST is to provide the best quality facility protection products in the industry —at a price you can ALWAYS afford.

We strive to protect your facility in a cost-efficient way by adding VALUE to your assets and reducing maintenance costs.



Bollard Covers | Clearance Bars | Column Protection | Flexible Bollards | Gorilla Post™ | Parking Blocks | Speed Bumps | Steel Pipe